

vimacc-ARC



accelence

The meaning of vimacc-ARC

vimacc-ARC

vimacc - video management by **accellence**

ARC - abbreviation of “Alarm Receiving Center”

 vimacc-ARC is EBÜS

In Germany it is well known as

 EBÜS

For the international market we call it

vimacc-ARC

✦ How EBÜS story began...

EBÜS was initiated 2004 by a working group of

- German police
- German organization of security companies
- organization of manufacturers and installers
- central organization of electrically industry

in order to create a standard receiving platform
for video based alarms
from all relevant kinds of video systems

Solution Description

EBÜS is a comprehensive video management solution that enables video systems from different manufacturers to be connected and operated under one uniform interface.

The integrative video management system EBÜS has unlimited multi-user capability - the possible applications range from small single-user solutions to cooperative headquarters with several distributed locations.

Integrated Functions

- EBÜS not only displays images of all common video security systems (VSS), but also offers
- comprehensive alarm handling
- PTZ, remote control, telemetry, forwarding data
- retrieval of stored images for evaluation
- bidirectional audio communication (intercom)
- video content analysis (VCA)
- documentation & statistical functions

Integrated System Types

- IP cameras
- digital video recorders (DVRs)
- network video recorders (NVRs)
- hybrid recorders (for analogue and digital cameras)
- video management systems (VMS)
- hosted video solutions (cloud)
- all other types of video systems (image sources)

- analog image sources (CVBS cameras, TV tuners, ...) and all CVI, TVI, SDI, AHD cameras and so on can be connected via suitable video encoders (Network Video Transmitter, NVT) or DVRs

Many videosystems are integrated e.g.





A lot of ARCs are using EBÜS e.g.

 <p>ADT Service-Center GmbH Am Schimmerfeld 5-7 D-40880 Ratingen Tel.: +49 (0)800 7070 238 www.tyco.de</p>	 <p>AF Security Group Walkraiberger Str. 3 D-93073 Neutraubling Tel.: +49 (0) 9401 98736-0 www.af-security.de</p>	 <p>All Service Sicherheitsdienste GmbH Karl-von-Friess-Straße 16-18 D-60435 Frankfurt am Main Tel.: +49 (0)69 56423-0 www.all-service.de</p>	 <p>AWZ Alarmruf/Wachzentrale Sievers GmbH & Co. KG An den Lodenbüschen 77 D-46156 Münster Tel.: +49 251 927770 www.sieversgruppe.de</p>	 <p>b.i.g. sicherheitstechnik und logistik gmbh Friede-Schulze-Straße 15 D-06116 Halle Tel.: +49 (0)345 5676-0 www.big-gruppe.com</p>	 <p>Firmengruppe Büttner Sülldorfer Landstraße 246 D-22589 Hamburg Tel.: +49 (0)40 870865-0 www.buettner.com</p>
 <p>CIBORIUS Security & Service Solutions Frankfurt am Main GmbH Mainzer Landstraße 69-71 D-60329 Frankfurt am Main Tel.: +49 (0)69-87004600 www.ciborius-gruppe.de</p>	 <p>CombiRisk Risk-Management CombiRisk Risk-Management GmbH Marimiliansstrasse 53 D-80530 München Tel.: +49 (0)89 6979725-0 www.comrisk.de</p>	 <p>Diebold Nixdorf Diebold Nixdorf Security GmbH Heinz-Nixdorf-Ring 1 D-53106 Paderborn Tel.: +49 (0)5251 6933-0 www.wincon-nixdorf.com</p>	 <p>DS Security GmbH Kaiser Wilhelm Platz 5 D-46463 Lorsch Tel.: +49 (0)6251 8053030 www.dssecurity.de</p>	 <p>Emil Weber GmbH & Co. KG Kornmarkt 14 - 16 D-57072 Siegen Tel.: +49 (0)49271 40030-0 E-Mail: wiede@midas-leistelle.de www.midas-leistelle.de</p>	 <p>G4S Security Systems GmbH Dresdner Straße 91 A-1200 Wien Tel.: +43 (0)131315-0 www.g4s.at</p>
 <p>GSZ Gebäudeservice und Sicherheitszentrale GmbH Paul-Robeson-Str. 37 D-10439 Berlin Tel.: +49 (0)30 25927400 E-Mail: info@gsz-online.de www.gsz-online.de</p>	 <p>Hanseatische Schutz- und Wachdienst GmbH Spenglerstraße 39-41 D-23555 Lübeck Tel.: +49 (0)451 486866-0 www.hsw-luebeck.de</p>	 <p>hectas Sicherheitsdienste GmbH Goppelstraße 91 D-15234 Frankfurt (Oder) Tel.: +49 (0)335 23631 E-Mail: NSL.Sicherheit@hectas.de www.hectas.de</p>	 <p>Hel-Wacht Bewachungsdienst GmbH Burggasse 34a A-1070 Wien Tel.: +43 (0)152174-0 www.helwacht.at</p>	 <p>HKS Sicherheitsservice GmbH Am Glödeberg 10 D-37181 Hardegsen Tel.: +49 (0)505 509517-0 E-Mail: info@hks-gruppe.de www.hks-gruppe.de</p>	 <p>HWS Wachdienst Hobelung GmbH Am Sportpark 75 D-58097 Hagen Tel.: +49 (0)2331 4730-0 www.hws-wachdienst.de</p>
 <p>ibs Sicherheitstechnik ibs Sicherheitstechnik Pieper/Siegle GBR Ludwig-Erhard-Str. 4 D-45891 Gelsenkirchen Tel.: +49 (0)209 318 38 0 www.ibs-sicherheitstechnik.de</p>	 <p>Industrie- und Werkchutz Mundt GmbH Alfred-Nöbel-Str. 1-3 D-50226 Frechen Tel.: +43 (0)2234 93319-0 www.iwsm.de</p>	 <p>KÖTTER Security Wilhelm-Bachmann-Straße 7 D-45307 Essen Tel.: +49 (0)201 27 88 - 389 www.koetter.de/mstl</p>	 <p>Limbach Secur Sicherheitstechnik GmbH Bergewiesenstraße 8 D-53040 Mechelen Tel.: +49 (0)2225 9200-0 E-Mail: info@limbach-secur.de www.limbach-secur.de</p>	 <p>LWS security Landshuter Wach- und Schließ GmbH Innere Münchener Straße 36 D-84308 Landshut Tel.: +49 (0)671 94312-0 www.lws-group.de</p>	 <p>MEBO Sicherheit GmbH Am Wasserwerk 5 D-23795 Bad Segeberg Tel.: +49 (0)455 9254-9300 www.mebo.de</p>
 <p>ML Sicherheitszentrale GmbH Mafkircher Straße 17a D-68229 Mannheim Tel.: +49 (0)621 48475-0</p>	 <p>Notruf24.de GmbH Lübecker Straße 23a D-39124 Magdeburg Tel.: +49 (0)391 9909047 www.notruf24.de</p>	 <p>Power Personen-Objekt-Werkchutz GmbH Am Bräuhaus 8b D-10939 Dresden Tel.: +49 (0)351 89699-88 www.power-gmbh.de</p>	 <p>Power Personen-Objekt-Werkchutz GmbH Beim Ströhhaus 34 D-20097 Hamburg Tel.: +49 (0)40 230153-0 www.power-gmbh.de</p>	 <p>Protection One GmbH Am Meerkamp 23 D-40627 Meerbusch Tel.: +49 (0)2132 96699-0 www.protectionone.de</p>	 <p>PST-Security GmbH Wach- & Sicherheitsdienst Frachestraße 25 D-74405 Gaildorf www.pst-security.com</p>
 <p>SD Sicherheitsdienst MHH Hinterer Fuchsberg 3 D-92319 Neumarkt i.d.OPf. Tel.: +49 (0)9181 47 48-0 info@sicherheitsdienst-gmbh.de www.sicherheitsdienst-gmbh.de Kooperationspartner der Bayerischen Polizei IAS Informationsaufnahme für Oberpfalz/Niederbayern/Oberrhein</p>	 <p>SECALL GMBH SICHERHEITSSERVICE Geisstraße 10, 04816 Garzden Tel.: +49 (0)951 94710146, E-Mail: info@secall.de www.secall.de</p>	 <p>Securitas Notruf- und Serviceleiste Tel.: +49 (0)30 86007-0 E-Mail: nsl-berlin@securitas.de www.securitas.de</p>	 <p>Stadtritter Notruf- und Service-Leistelle Tel.: +49 (0)30 230153-0 E-Mail: leistelle@stadtritter.de www.stadtritter.de</p>	 <p>STANLEY Security Deutschland GmbH Bömer Straße 119, D-60437 Frankfurt a.M. Tel.: +49 (0)69-21935236994 E-Mail: SocSales.de@sbidnc.com www.stanleysecurity.de</p>	 <p>STIBA Sicherheit + Service STIBA Sicherheitsdienst GmbH & Co. KG Bei den Kämpfen 12a D-21220 Sierstedt Tel.: +49 (0)4185-79769420 www.stiba-sicherheit.de</p>
 <p>UTS Sicherheit + Service Europa-Allee 11 D-54343 Föhren Tel.: +49 (0)6522 99 09 991 www.uts-sicherheit.de</p>	 <p>VSU Sächsische Wach- und Schließgesellschaft mbH Gabelsberger Straße 5-7 D-04317 Leipzig Tel.: +49 (0)341 69639-0 www.svwg-sachsen.de</p>	 <p>W.I.S. SOC GmbH & Co. KG Merseburger Straße 237 D-06130 Halle/Saale Tel.: +49 (0)345-131600 www.wis-sicherheit.de/de</p>	 <p>WISAG Notruf & Service Center GmbH & Co. An der Schindersgasse 3 D-37276 Mannhard Tel.: +49 (0)551 99220 www.wisag.de</p>	 <p>Zander & Mielke GmbH Fangdeckstraße 66 D-22547 Hamburg Tel.: +49 (0)40 54729-0 www.zander-mielke.de</p>	 <p>ZIEMANN Leitstelle GmbH Gewerbestraße 19 D-79227 Schallstadt Tel.: +49 (0)7664 9720-0 www.ziemann-gruppe.de</p>



Key Features & Benefits

- Comprehensive solution for connecting video systems of many different manufacturers in control centers
- Employees only need to operate 1 video system
- Less training required
- Less operator errors
- More routine when processing alarms
- All video connections are centrally and uniformly documented in accordance with EN 50518
- All connections can be edited at any workstation
- Comprehensive support for the connection of new systems, also previously unknown in the control center

✦ From DACH to the international market

Until now EBÜS was only delivered to German speaking countries, but brand new version 2.0 has multi language support

So we are now open for partners in other countries who want to adapt EBÜS alias **vimacc-ARC** to their markets and distribute it there



Challenges and benefits for our partners

Challenges

- Translate language files and documentation
- Supply high quality support for your customers

Benefits

- Approved product
- Obvious USPs
- High profit margin

Prizing

You can either

- sell or rent

vimacc-ARC to your customer

The price depends on

- count of used workstations
- count of configured cameras
- selected additional modules

Delivery

vimacc-ARC is a complete software solution running on a standard IT platform


There is only one setup file to download for demo as well as full production use

Specific functions for each customer are enabled by a license key which can be sent via e-mail

Licenses can be upgraded anytime without new installation

✦ Integration method

vimacc-ARC uses an unique integration technology called "Virtual Enviroment" in which the software to be integrated is running under full control of **vimacc-ARC** and delivers its rendered video into our virtual graphics adapter



Therefore new video devices can be integrated very fast an easy

The differences (1)

vimacc-ARC not only integrates IP cameras, but also DVRs, NVRs, VMSs, and cloud solutions (hosted video) including full access to stored video; analogue cameras are integrated via video encoders

vimacc-ARC does not only display videos, but also supports a lot of functionality for alarm handling, remote control, telemetry, audio announcements, video based investigation, documentation

Is there any other system able to integrate in such depth e.g. Dallmeier DVRs, HeiTel Recorders, Geutebrück GeViScope, Netavis Observer, SeeTec Cayuga, Siemens DVÜ, Sanyo DSR, Avigilon, TEB Digipryn, AXIS, Bosch, Mobotix, MAKU, Inform, WIE, IndigoVision, Sony, Panasonic, ... and many more?

The differences (2)

vimacc-ARC doesn't hold permanent connections to each video device, but creates connections on demand, e.g. manually, automatically in case of alarms or other events or at configurable times (virtual patrol)

vimacc-ARC transcodes all video formats (e.g. MPEG-2, MPEG-4, H.263, H.264, H.265, JPEG2000, MPEG4CCTV, MxPEG, M-JPEG, Wavelet, AVI, AVCHD, proprietary formats, ...) into simple JPEG files

This needs more CPU power and memory than other solutions (not a real problem if you are considering moore's law), but results in big advantages affecting interoperability and harmonized subsequent processing (process integration)

You are not alone

We support your business with

- free test- and demo-licenses
- comprehensive online documentation (but today only in German language!)
- training programs on **vimacc-ARC** in Hanover in German and English language
- 3rd level support from high qualified developers via phone, e-mail and/or TeamViewer
- custom specific software development if needed for special use cases

More information

You find more information about EBÜS
in german language on our website

www.ebues.de



The screenshot displays the EBÜS website in German. The top navigation bar includes 'Datei', 'Bearbeiten', 'Ansicht', 'Favoriten', and 'Extras'. The main content area features the 'accelcence technologies' logo and the tagline 'Vorsprung durch Kompetenz'. A central image shows a control room with multiple video feeds. Below this, there is a section titled 'EBÜS, das Einheitliche BildÜbertragungsSystem von Accellence.' which describes the system as a comprehensive video management solution. The text highlights its ability to handle various video sources (IP-cameras, DVRs, NVRs, etc.) and its multi-site capabilities. A sidebar on the left lists navigation options such as 'Überblick', 'Geschichte', 'Nutzen', 'Zielgruppe', 'Referenzen', 'Empfehlungen', 'Lösungspartner', 'Dokumentation', 'Download', 'Service', 'Support', 'Ausschreibungstexte', 'BHE Infopapiere', 'CCTV-Lexikon', 'Rundbriefe', 'Softwareentwicklung', 'Anwenderberichte', 'Fachartikel', and 'News'. At the bottom left, contact information for Accellence Technologies GmbH is provided. The bottom right corner of the screenshot shows a detailed view of the EBÜS software interface, featuring a grid of video feeds, a control panel with various icons, and a sidebar with configuration options like 'Anmeldung abbrechen', 'Anmeldezeitpunkt', 'Logout', 'Konfiguration', 'Registrierung', 'Benutzerverwaltung', 'Passwort ändern', and 'Benutzer abmelden'. The interface also displays system status, a clock, and a calendar.

Contact

If there are any questions or remarks
please don't hesitate to contact us:

Accellence Technologies GmbH
Garbsener Landstr. 10
D-30419 Hannover

Hardo Naumann
Tel. +49 511 277 2440
hardo.naumann@accellence.de

